Journal of MOLECULAR BIOLOGY

EDITOR-IN-CHIEF
J. C. KENDREW

ASSISTANT EDITOR
S. BRENNER

EDITORIAL BOARD
R. L. Baldwin
M. S. Bretscher
C. R. Cantor
P. Chambon
J. Davies
G. A. Gilbert
M. Gottesman
R. Huber
H. E. Huxley
A. Klug
V. Luzzati
M. F. Moody
C. C. Richardson
P. M. B. Walker
K. Weber
S. M. Weissman

QH301
J73

VOLUME 126
25 November to 25 December 1978

ACADEMIC PRESS
London New York San Francisco

Copyright © 1979, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

CONTENTS OF VOLUME 126

Number 1, 25 November 1978

Sutoh, Kazuo, Sutoh, Keiko, Karr, T. and Harrington, W. F., Isolation and Physico-chemical Properties of a High Molecular Weight Subfragment-2 of Myosin 1

Wilson, M. C., Sawicki, S. G., White, P. A. and Darnell, J. E., Jr, A Correlation Between the Rate of Poly(A) Shortening and Half-life of Messenger RNA in Adenovirus Transformed Cells 23

Kohno, T. and Roth, J. R., A *Salmonella* Frameshift Suppressor that Acts at Runs of A Residues in the Messenger RNA 37

Anderson, R. P. and Roth, J. R., Tandem Genetic Duplications in *Salmonella typhimurium:* Amplification of the Histidine Operon 53

Lemaire, G., Gold, L. and Yarus, M., Autogenous Translational Repression of Bacteriophage T4 Gene *32* Expression *in vitro* 73

Krystal, M. and Arnheim, N., Length Heterogeneity in a Region of the Human Ribosomal Gene Spacer is Not Accompanied by Extensive Population Polymorphism 91

Letters to the Editor

Stout, C. D., Preliminary Crystallographic Data for *Azotobacter* Cytochrome c_5 105

Kiselev, N. A., Stel'mashchuk, V. Ya., Lutsch, H. and Noll, F., Structure of Small Subparticles of Liver Ribosomes . . . 109

Babul, J., Nakagawa, A. and Stellwagen, E., An Examination of the Involvement of Proline Peptide Isomerization in Protein Folding . 117

Number 2, 5 December 1978

Strycharz, W. A., Nomura, M. and Lake, J. A., Ribosomal Proteins L7/L12 Localized at a Single Region of the Large Subunit by Immune Electron Microscopy 123

Argos, P., Garavito, R. M., Eventoff, W., Rossmann, M. G. and Brändén, C. I., Similarities in Active Center Geometries of Zinc-containing Enzymes, Proteases and Dehydrogenases 141

Weisel, J. W., Warren, S. G. and Cohen, C., Crystals of Modified Fibrinogen: Size, Shape and Packing of Molecules 159

Teraoka, H. and Nierhaus, K. H., Proteins from *Escherichia coli* Ribosomes Involved in the Binding of Erythromycin 185

Furth, M. E., McLeester, C. and Dove, W. F., Specificity Determinants for Bacteriophage Lambda DNA Replication. I. A Chain of Interactions that Controls the Initiation of Replication 195

Furth, M. E. and Yates, J. L., Specificity Determinants for Bacteriophage Lambda DNA Replication. II. Structure of O Proteins of λ-ϕ80 and λ-82 Hybrid Phages and of a λ Mutant Defective in the Origin of Replication . 227

Gardner, J. F. and Reznikoff, W. S., Identification and Restriction Endonuclease Mapping of the Threonine Operon Regulatory Region . . 241

Gutai, M. W. and Nathans, D., Evolutionary Variants of Simian Virus 40. Nucleotide Sequence of a Conserved SV40 DNA Segment Containing the Origin of Viral DNA Replication as an Inverted Repetition . . 259

Gutai, M. W. and Nathans, D., Evolutionary Variants of Simian Virus 40. Cellular DNA Sequences and Sequences at Recombinant Joints of Substituted Variants 275

Letter to the Editor

Sampieri, F., Habersetzer-Rochat, C., Astier, J.-P., Frey, M. and Haser, R., Preliminary X-ray Diffraction Studies on a Scorpion Neurotoxin: Toxin II of *Androctonus australis* Hector . . . 289

Number 3, 15 December 1978

Dessen, P., Blanquet, S., Zaccai, G. and Jacrot, B., Antico-operative Binding of Initiator Transfer RNA^{Met} to Methionyl-transfer RNA Synthetase from *Escherichia coli*: Neutron Scattering Studies . . 293

Crippen, G. M., The Tree Structural Organization of Proteins . . . 315

Syvanen, M. and Yin, J., Studies of DNA Packaging into the Heads of Bacteriophage Lambda 333

Guyer, M. S., The $\gamma\delta$ Sequence of F is an Insertion Sequence . . . 347

Hattman, S., Brooks, J. E. and Masurekar, M., Sequence Specificity of the P1 Modification Methylase (M·*Eco* P1) and the DNA Methylase (M·*Eco* dam) Controlled by the *Escherichia coli dam* gene 367

Brooks, J. E. and Hattman, S., *In vitro* Methylation of Bacteriophage λ DNA by Wild type (dam^+) and Mutant (dam^h) Forms of the Phage T2 DNA Adenine Methylase 381

Spector, D. J., McGrogan, M. and Raskas, H. J., Regulation of the Appearance of Cytoplasmic RNAs from Region 1 of the Adenovirus 2 Genome . 395

Whalen, R. G., Butler-Browne, G. S. and Gros, F., Identification of a Novel Form of Myosin Light Chain Present in Embryonic Muscle Tissue and Cultured Muscle Cells 415

Diana, C., Dehò, G., Geisselsoder, J., Tinelli, L. and Goldstein, R., Viral Interference at the Level of Capsid Size Determination by Satellite Phage P4 433

Geisselsoder, J., Chidambaram, M. and Goldstein, R., Transcriptional Control of Capsid Size in the P2:P4 Bacteriophage System . . . 447

Stenkamp, R. E., Sieker, L. C. and Jensen, L. H., Crystallographic Studies of Azide, Thiocyanate and Perchlorate Complexes of Methemerythrin . 457

Young, P. R. and Kallenbach, N. R., Secondary Structure in Polyuridylic Acid. Non-classical Hydrogen Bonding and the Function of the Ribose 2′-Hydroxyl Group 467

Geiduschek, E. P. and Beard, C., Effect of SP01 DNA-Binding Protein, TF1, on Promoter Competition 481

Möller, K., Zwieb, C. and Brimacombe, R., Identification of the Oligonucleotide and Oligopeptide Involved in an RNA–Protein Crosslink Induced by Ultraviolet Irradiation of *Escherichia coli* 30 S Ribosomal Subunits. 489

Yanagida, T. and Oosawa, F., Polarized Fluorescence from ϵ-ADP Incorporated into F-Actin in a Myosin-free Single Fiber: Conformation of F-Actin and Changes Induced in it by Heavy Meromyosin 507

Willetts, N. S. and McIntire, S., Isolation and Characterisation of λtra Transducing Phages from EDFL223 (*Flac traB*::EDλ4) 525

Mattson, T., Van Houwe, G. and Epstein, R. H., Isolation and Characterization of Conditional Lethal Mutations in the *mot* Gene of Bacteriophage T4 551

Kistler, J., Aebi, U., Onorato, L., ten Heggeler, B. and Showe, M. K., Structural Changes During the Transformation of Bacteriophage T4 Polyheads: Characterization of the Initial and Final States by Freeze-drying and Shadowing Fab-fragment-labelled Preparations . . . 571

Letter to the Editor

Salemme, F. R., Peptide Models for the Study of Coupled Conformational Properties of Protein Secondary Structures 591

NUMBER 4, 25 DECEMBER 1978

ROCHAIX, J. D., Restriction Endonuclease Map of the Chloroplast DNA of *Chlamydomonas reinhardii* 597

HACKETT, P. B., TRAUB, P. and GALLWITZ, D., The Histone Genes in HeLa Cells are on Individual Transcriptional Units 619

SCOULOUDI, H. and BAKER, E. N., X-ray Crystallographic Studies of Seal Myoglobin. The Molecule at 2·5 Å Resolution 637

SCOULOUDI, H., A Preliminary Comparison of Metmyoglobin Molecules from Seal and Sperm Whale 661

SIMONS, K., SARVAS, M., GAROFF, H. and HELENIUS, A., Membrane-bound and Secreted Forms of Penicillinase from *Bacillus licheniformis* 673

VAN ROY, F. and FIERS, W., Structure of the Components of the Adenovirus–Simian Virus 40 Hybrid Population Ad2^{++}HEY and Reciprocal Molecular Interactions 691

EARNSHAW, W. and KING, J., Structure of Phage P22 Coat Protein Aggregates formed in the Absence of the Scaffolding Protein 721

DAWID, I. B., WELLAUER, P. K. and LONG, E. O., Ribosomal DNA in *Drosophila melanogaster*. I. Isolation and Characterization of Cloned Fragments. . 749

WELLAUER, P. K. and DAWID, I. B., Ribosomal DNA in *Drosophila melanogaster* II. Heteroduplex Mapping of Cloned and Uncloned rDNA 769

VANDEKERCKHOVE, J. and WEBER, K., At Least Six Different Actins are Expressed in a Higher Mammal: An Analysis Based on the Amino Acid Sequence of the Amino-terminal Tryptic Peptide 783

PEARSE, B. M. F., On the Structural and Functional Components of Coated Vesicles 803

GHOSH, P. K., REDDY, V. B., SWINSCOE, J., LEBOWITZ, P. and WEISSMAN, S. M., Heterogeneity and 5′-Terminal Structures of the Late RNAs of Simian Virus 40 813

FARABAUGH, P. J., SCHMEISSNER, U., HOFER, M. and MILLER, J. H., Genetic Studies of the *lac* Repressor. VII. On the Molecular Nature of Spontaneous Hotspots in the *lacI* Gene of *Escherichia coli* 847

Appendix: GALAS, D. J., An Analysis of Sequence Repeats in the *lacI* Gene of *Escherichia coli* 858

LETTERS TO THE EDITOR

CALOS, M. P., GALAS, D. and MILLER, J. H., Genetic Studies of the *lac* Repressor. VIII. DNA Sequence Change Resulting from an Intragenic Duplication 865

BENTLEY, G., DODSON, G. and LEWITOVA, A., Rhombohedral Insulin Crystal Transformation 871

BUTLER, P. J. G. and LOMONOSSOFF, G. P., Quantized Incorporation of RNA During Assembly of Tobacco Mosaic Virus from Protein Disks . 877

ANNOUNCEMENT 883


Digitized by the Internet Archive
in 2026

https://archive.org/details/journal-of-molecular-biology_1978_126_index-contents

Index to Volume 126

A residue runs in mRNA, a *Salmonella* mutation suppresses frameshift mutations, 37
Actins, at least six different, are expressed in a higher mammal: an analysis based on the amino acid sequence of the amino-terminal tryptic peptide, 783
Active center geometries of zinc-containing enzymes, proteases and dehydrogenases show similarities, 141
Ad2^{+}$^{+}$HEY hybrid population, structure of its components, and reciprocal molecular interactions, 691
Adenovirus 2 genome, regulation of the appearance of cytoplasmic RNAs from region 1, 395
Adenovirus transformed cells, correlation between the rate of poly(A) shortening and the half-life of mRNA, 23
Adenovirus-simian virus 40 hybrid population Ad2^{+}$^{+}$HEY, structure of the components, and reciprocal molecular interactions, 691
Aebi, U. (see also Kistler, J.), 571
Amino-terminal tryptic peptide, an analysis based on the amino acid sequence shows that at least six different actins are expressed in a higher mammal, 783
Amplification of the histidine operon; tandem genetic duplications in *Salmonella typhimurium*, 53
Anderson, R. P. & Roth, J. R., Tandem genetic duplications in *Salmonella typhimurium*: amplification of the histidine operon, 53
Androctonus australis Hector toxin II, preliminary X-ray diffraction studies, 289
Antico-operative binding of initiator transfer RNA^{Met} to methionyl-transfer RNA synthetase from *Escherichia coli*: neutron scattering studies, 293
Argos, P., Garavito, R. M., Eventoff, W., Rossmann, M. G. & Brändén, C. I., Similarities in active center geometries of zinc-containing enzymes, proteases and dehydrogenases, 141
Arnheim, N. (see also Krystal, M.), 91
Assembly of tobacco mosaic virus from protein disks, and quantized incorporation of RNA, 877
Astier, J.-P. (see also Sampieri, F.), 289
Autogenous translational repression of bacteriophage T4 gene *32* expression *in vitro*, 73
Azide, thiocyanate and perchlorate complexes of methemerythrin, crystallographic studies, 457
Azotobacter cytochrome c_5, preliminary crystallographic data, 105

Babul, J., Nakagawa, A. & Stellwagen, E., An examination of the involvement of proline peptide isomerization in protein folding, 117
Bacillus licheniformis, membrane-bound and secreted forms of penicillinase, 673
Bacteriophage λ DNA, *in vitro* methylation by wild type (*dam*$^{+}$) and mutant (*dam*^{h}) forms of the phage T2 DNA adenine methylase, 381
— lambda DNA, specificity determinants for replication: a chain of interactions that controls the initiation of replication, 195
— — —, — — — —: structure of O proteins of λ-φ80 and λ-82 hybrid phages and of a λ mutant defective in the origin of replication, 227
— —, studies of DNA packaging into the heads, 333
— P2:P4, transcriptional control of capsid size, 447
— P22, structure of coat protein aggregates formed in the absence of the scaffolding protein, 721
— satellite P4 and interference at the level of capsid size determination, 433
— T2 DNA adenine methylase, *in vitro* methylation of bacteriophage λ DNA by wild type (*dam*$^{+}$) and mutant forms (*dam*^{h}), 381
— T4, autogenous translational repression of gene *32* expression *in vitro*, 73
— — isolation and characterization of conditional lethal mutations in the *mot* gene, 551
— —, structural changes during the transformation of polyheads: characterization of the initial and final states by freeze-drying and shadowing Fab-fragment-labelled preparations, 571
Baker, R. N. (see also Scouloudi, H.), 637
Bentley, G., Dodson, G. & Lewitova, A., Rhombohedral insulin crystal transformation, 871
Binding, antico-operative, of initiator transfer RNA^{Met} to methionyl-transfer RNA synthetase from *Escherichia coli*: neutron scattering studies, 293
— of erythromycin, and proteins from *Escherichia coli* ribosomes, 185
Blanquet, S. (see also Dessen, P.), 293
Bovine actins, an analysis of at least six different actins based on the amino acid sequence of the amino-terminal tryptic paptide, 783
Brändén, C. I. (see also Argos, P.), 141

Brimacombe, R. (see also Möller, K.), 489
Brooks, J. E. & Hattman, S., *In vitro* methylation of bacteriophage λ DNA by wild type (*dam*$^+$) and mutant (*dam*^{h}) forms of the phage T2 DNA adenine methylase, 381
— (see also Hattman, S.), 367
Butler, P. J. G. & Lomonossoff, G. P., Quantized incorporation of RNA during assembly of tobacco mosaic virus from protein disks, 877
Butler-Browne, G. S. (see also Whalen, R. G.), 415

Capos, M. P., Galas, D. & Miller, J. H., Genetic studies of the *lac* repressor. VIII. DNA sequence change resulting from an intragenic duplication, 865
Capsid size determination and viral interference by satellite phage P4, 433
Capsid size, transcriptional control in the P2:P4 bacteriophage system, 447
Cellular DNA sequences and sequences at recombinant joints of substituted variants; evolutionary variants of SV40, 275
Chidambaram, M. (see also Geisselsoder, J.), 447
Chlamydomonas reinhardii, restriction endonuclease map of the chloroplast DNA, 597
Chloroplast DNA of *Chlamydomonas reinhardii*, restriction endonuclease map, 597
Cloned fragments of ribosomal DNA from *Drosophila melanogaster*, isolation and characterization, 749
Cloned and uncloned rDNA from *Drosophila melanogaster*, heteroduplex mapping, 769
Coat protein aggregates of phage P22 formed in the absence of the scaffolding protein, structure, 721
Coated vesicles, structural and functional components, 803
Cohen, C. (see also Weisel, J. W.), 159
Conformation of F-actin and changes induced in it by heavy meromyosin; polarized fluorescence from ϵ-ADP incorporated into F-actin in a myosin-free single fiber, 507
Conformational properties, coupled, of protein secondary structures, peptide models for their study, 591
Coupled conformational properties of protein secondary structures, peptide models for their study, 591
Crippen, G. M., The tree structural organisation of proteins, 315
Crosslink, RNA–protein, induced by ultraviolet irradiation of *Escherichia coli* 30 S ribosomal subunits, identification of the oligonucleotide and oligopeptide involved, 489
Crystal transformation for rhombohedral insulin, 871
Crystallographic data, preliminary, for *Azotobacter* cytochrome c_5, 105
— studies of azide, thiocyanate and perchlorate complexes of methemerythrin, 457
— X-ray studies of seal myoglobin: the molecule at 2·5 Å resolution, 637
Crystals of modified fibrinogen: size, shape and packing of molecules, 159
Cytochrome c_5 from *Azotobacter*, preliminary crystallographic data, 105
Cytoplasmic RNAs, regulation of their appearance from region 1 of the adenovirus 2 genome, 395

dam gene of *Escherichia coli*; sequence specificity of the DNA methylase (M·*Eco* dam) and the P1 modification methylase (M·*Eco* P1), 367
dam$^+$ and *dam*^{h} forms of the phage T2 DNA adenine methylase, *in vitro* methylation of bacteriophage λ DNA, 381
Darnell, J. E., Jr (see also Wipson, M. C.), 23
Dawid, I. B., Wellauer, P. K. & Long, E. O., Ribosomal DNA in *Drosophila melanogaster*. I. Isolation and characterization of cloned fragments, 749
— (see also Wellauer, P. K.), 769
Dehò, G. (see also Diana, C.), 433
Dehydrogenases, proteases and zinc-containing enzymes, similarities in their active center geometries, 141
DNA adenine methylase of phage T2, *in vitro* methylation of bacteriophage λ DNA by wild type (*dam*$^+$) and mutant (*dam*^{h}) forms, 381
—, cellular, sequences and sequences at recombinant joints of substituted variants; evolutionary variants of SV40, 275
—, chloroplast, of *Chlamydomonas reinhardii*, restriction endonuclease map, 597
— methylase (M·*Eco* dam) controlled by the *Escherichia coli dam* gene, and P1 modification methylase (M·*Eco* P1); sequence specificity, 367
— of bacteriophage λ, *in vitro* methylation by wild type (*dam*$^+$) and mutant (*dam*^{h}) forms of the phage T2 DNA adenine methylase, 381
— packaging into the heads of bacteriophage lambda, 333
— replication, specificity determinants for bacteriophage lambda: a chain of interactions that controls the initiation of replication, 195

DNA replication, specificity determinants for bacteriophage lambda: structure of O proteins of λ-φ80 and λ-82 hybrid phages and of a λ mutant defective in the origin of replication, 227
—, ribosomal, in *Drosophila melanogaster*. II. Heteroduplex mapping of cloned and uncloned rDNA, 769
—, —, — — —. I. Isolation and characterization of cloned fragments, 749
— segment of SV40 containing the origin of viral DNA replication as an inverted repetition, nucleotide sequence; evolutionary variants of simian virus 40, 259
— sequence change resulting from an intragenic duplication; genetic studies of the *lac* repressor, 865
— SPO1, effect of the binding protein, TF1, on promoter competition, 481
Dessen, P., Blanquet, S., Zaccai, G. & Jacrot, B., Antico-operative binding of initiator transfer RNA^{Met} to methionyl-transfer RNA synthetase from *Escherichia coli*: neutron scattering studies, 293
Diana, C., Dehò, G., Geissepsoder, J., Tinelli, L. & Goldstein, R., Viral interference at the level of capsid size determination by satellite phage P4, 433
Dodson, G. (see also Bentley, G.), 871
Dove, W. F. (see also Furth, M. E.), 195
Drosophila melanogaster ribosomal DNA. II. Heteroduplex mapping of cloned and uncloned rDNA, 769
— — — —. I. Isolation and characterization of cloned fragments, 749
Duplication, intragenic, and DNA sequence change; genetic studies of the *lac* repressor, 865
Duplications, genetic, tandem, in *Salmonella typhimurium*: amplification of the histidine operon, 53

Earnshaw, W. & King, J., Structure of phage P22 coat protein aggregates formed in the absence of the scaffolding protein, 721
EDFL223 (*Flac traB*::EDλ4) *λtra* transducing phages, isolation and characterization, 525
Electron microscopy, immune, localizes ribosomal proteins L7/L12 at a single region on the large subunit, 123
Embryonic muscle tissue and cultured muscle cells contain a novel form of myosin light chain, 415
Enzymes, zinc-containing, proteases and dehydrogenases, similarities in their active center geometries, 141
ϵ-ADP, incorporation into F-actin in a myosin-free single fiber, and polarized fluorescence measurements of the conformation of F-actin and of changes induced in it by heavy meromyosin, 507
Epstein, R. H. (see also Mattson, T.), 551
Erythromycin binding and the involvement of proteins from *Escherichia coli* ribosomes, 185
Escherichia coli, an analysis of sequence repeats in the *lacI* gene, 858
— — *dam* gene; sequence specificity of the DNA methylase (M·*Eco* dam) and the P1 modification methylase (M·*Eco* P1), 367
— — methionyl-transfer RNA synthetase, antico-operative binding of initiator transfer RNA^{Met}; neutron scattering studies, 293
— —, on the molecular nature of spontaneous hotspots in the *lacI* gene, 847
— — ribosomal proteins involved in the binding of erythromycin, 185
— — 30 S ribosomal subunits, identification of the oligonucleotide and oligopeptide involved in an RNA–protein crosslink induced by ultraviolet irradiation, 489
Eventoff, W. (see also Argos, P.), 141
Evolutionary variants of simian virus 40: cellular DNA sequences and sequences at recombinant joints of substituted variants, 275
— — — — — —: nucleotide sequence of a conserved SV40 DNA segment containing the origin of viral DNA replication as an inverted repetition, 259

F plasmid γδ sequence is an insertion sequence, 347
Fab-fragment labelling, with freeze-drying and shadowing, used in study of structural changes during the transformation of bacteriophage T4 polyheads, 571
F-actin in a myosin-free single fiber, polarized fluorescence from incorporated ϵ-ADP: conformation of F-actin and changes induced in it by heavy meromyosin, 507
Farabaugh, P. J., Schmeissner, U., Hofer, M. & Miller, J. H., Genetic studies of the *lac* repressor. VII. On the molecular nature of spontaneous hotspots in the *lacI* gene of *Escherichia coli*, 847
Fibrinogen, modified, crystals: size, shape and packing of molecules, 159
Fiers, W. (see also Van Roy, F.), 691
Flac traB::EDλ4 (see also EDFL223), 525
Fluorescence, polarized, from ϵ-ADP incorporated into F-actin in a myosin-free single fiber: conformation of F-actin and changes induced in it by heavy meromyosin, 507
Folding, protein, and the involvement of proline peptide isomerization, 117

Frameshift suppressor, *Salmonella*, that acts at runs of A residues in the mRNA, 37
Freeze-drying and shadowing of Fab-fragment-labelled preparations used in study of structural changes during the transformation of bacteriophage T4 polyheads, 571
Frey, M. (see also Sampieri, F.), 289
Furth, M. E., McLeester, C. & Dove, W. F., Specificity determinants for bacteriophage lambda DNA replication. I. A chain of interactions that controls the initiation of replication, 195
— & Yates, J. L., Specificity determinants for bacteriophage lambda DNA replication. II. Structure of O proteins of λ-ϕ80 and λ-82 hybrid phages and of a λ mutant defective in the origin of replication, 227

Galas, D. J., An analysis of sequence repeats in the *lacI* gene of *Escherichia coli* (*Appendix* to Farabaugh, P. J. *et al.*, 847), 858
— (see also Calos, M. P.), 865
Gallwitz, D. (see also Hackett, P. B.), 619
$\gamma\delta$ sequence of F is an insertion sequence, 347
Garavito, R. M. (see also Argos, P.), 141
Gardner, J. F. & Reznikoff, W. S., Identification and restriction endonuclease mapping of the threonine operon regulatory region, 241
Garoff, H. (see also Simons, K.), 673
Geiduschek, E. P. & Beard, C., Effect of SP01 DNA-binding protein, TF1, on promoter competition, 481
Geisselsoder, J., Chidambaram, M. & Goldstein, R., Transcriptional control of capsid size in the P2:P4 bacteriophage system, 447
— (see also Diana, C.), 433
Gene *32* of bacteriophage T4, autogenous translational repression of *in vitro* expression, 73
—, *dam*, of *Escherichia coli*; sequence specificity of the DNA methylase (M·*Eco* dam) and the P1 modification methylase (M·*Eco* P1), 367
—, *mot*, of bacteriophage T4, isolation and characterization of conditional lethal mutations, 551
— spacer, ribosomal, human, length heterogeneity in a region is not accompanied by extensive population polymorphism, 91
Genes, histone, in HeLa cells are on individual transcriptional units, 619
Genetic duplications, tandem, in *Salmonella typhimurium*: amplification of the histidine operon, 53
— studies of the *lac* repressor: DNA sequence change resulting from an intragenic duplication, 865
— — —: on the molecular nature of spontaneous hotspots in the *lacI* gene of *Escherichia coli*, 847
Genome, adenovirus 2, regulation of the appearance of cytoplasmic RNAs from region 1, 395
Geometries, active center, of zinc-containing enzymes, proteases and dehydrogenases show similarities, 141
Ghosh, P. K., Reddy, V. B., Swinscoe, J., Lebowitz, P. & Weissman, S. M., Heterogeneity and 5′-terminal structures of the late RNAs of simian virus 40, 813
Gold, L. (see also Lemaire, G.), 73
Goldstein, R. (see also Diana, C.), 433
—. (see also Geisselsoder, J.), 447
Gros, F. (see also Whalen, R. G.), 415
Gutai, M. W. & Nathans, D., Evolutionary variants of simian virus 40. Cellular DNA sequences and sequences at recombinant joints of substituted variants, 275
& —, — — — — — —. Nucleotide sequence of a conserved SV40 DNA segment containing the origin of viral DNA replication as an inverted repetition, 259
Guyer, M. S., The $\gamma\delta$ sequence of F is an insertion sequence, 347

Habersetzer-Rochat, C. (see also Sampieri, F.), 289
Hackett, P. B., Traub, P. & Gallwitz, D., The histone genes in HeLa cells are on individual transcriptional units, 619
Half-life of mRNA, correlation with the rate of poly(A) shortening in adenovirus transformed cells, 23
Harrington, W. F. (see also Sutoh, Kazuo), 1
Haser, R. (see also Sampieri, F.), 289
Hattman, S., Brooks, J. E. & Masurekar, M., Sequence specificity of the P1 modification methylase (M·*Eco* P1) and the DNA methylase (M·*Eco* dam) controlled by the *Escherichia coli* *dam* gene, 367
·. (see also Brooks, J. E.), 381
Heads of bacteriophage lambda, studies of DNA packaging, 333
HeLa cells, the histone genes are on individual transcriptional units, 619
Helenius, A. (see also Simons, K.), 673

Heteroduplex mapping of cloned and uncloned rDNA from *Drosophila melanogaster*, 769
Histidine operon amplification; tandem genetic duplication in *Salmonella typhimurium*, 53
Histone genes in HeLa cells are on individual transcriptional units, 619
Hofer, M. (see also Farabaugh, P. J.), 847
Hotspots, spontaneous, in the *lacI* gene of *Escherichia coli*, on their molecular nature, 847
Human ribosomal gene spacer, length heterogeneity in a region is not accompanied by extensive population polymorphism, 91
Hybrid lambdoid phages, structure of O proteins; specificity determinants for bacteriophage lambda DNA replication, 227
— population $Ad2^{+}{}^{+}$HEY, structure of its components, and reciprocal molecular interactions, 691
Hydrogen bonding, non-classical, and the function of the ribose 2′-hydroxyl group; secondary structure of polyuridylic acid, 467

Immune electron microscopy localizes ribosomal proteins L7/L12 at a single region of the large subunit, 123
Initiator transfer RNA^{Met}, antico-operative binding to methionyl-transfer RNA synthetase from *Escherichia coli*: neutron scattering studies, 293
Insulin crystal transformation, 871
Interference, viral, at the level of capsid size determination by satellite phage P4, 433
Intragenic duplication and DNA sequence change; genetic studies of the *lac* repressor, 865
Isomerization, proline peptide, an examination of its involvement in protein folding, 117

Jacrot, B. (see also Dessen, P.), 293
Jensen, L. H. (see also Stenkamp, R. E.), 457

Kallenbach, N. R. (see also Young, P. R.), 467
Karr, T. (see also Sutoh, Kazuo), 1
King, J. (see also Earnshaw, W.), 721
Kiselev, N. A., Stel'mashchuk, V. Ya., Lutsch, H. & Noll, F., Structure of small subparticles of liver ribosomes, 109
Kistler, J., Aebi, U., Onorato, L., ten Heggeler, B. & Showe, M. K., Structural changes during the transformation of bacteriophage T4 polyheads: characterization of the initial and final states by freeze-drying and shadowing Fab-fragment-labelled preparations, 571
Kohno, T. & Roth, J. R., A *Salmonella* frameshift suppressor that acts at runs of A residues in the messenger RNA, 37
Krystal, M. & Arnheim, N., Length heterogeneity in a region of the human ribosomal gene spacer is not accompanied by extensive population polymorphism, 91

L7/L12 ribosomal proteins localized at a single region of the large subunit by immune electron microscopy, 123
λ (see also Bacteriophage), 195, 227, 333, 381
λ*tra* transducing phages from EDFL223 (*Flac traB*::EDλ4), isolation and characterization, 525
lac repressor, genetic studies: DNA sequence change resulting from an intragenic duplication, 865
— —, — —: on the molecular nature of spontaneous hotspots in the *lacI* gene of *Escherichia coli*, 847
lacI gene of *Escherichia coli*, on the molecular nature of spontaneous hotspots, 847
— — — — —, sequence repeats, an analysis, 858
Lake, J. A. (see also Strycharz, W. A.), 123
Late RNAs of simian virus 40, heterogeneity and 5′-terminal structures, 813
Lebowitz, P. (see also Ghosh, P. K.), 813
Lemaire, G., Gold, L. & Yarus, M., Autogenous translational repression of bacteriophage T4 gene *32* expression *in vitro*, 73
Length heterogeneity in a region of the human ribosomal gene spacer is not accompanied by extensive population polymorphism, 91
Lewitova, A. (see also Bentley, G.), 871
Light chains, myosin, identification of a novel form present in embryonic muscle tissue and cultured muscle cells, 415
Liver ribosomes, structure os small subparticles, 109
Lomonossoff, G. P. (see also Butler, P. J. G.), 877
Long, E. O. (see also Dawid, I. B.), 749
Lutsch, H. (see also Kiselev, N. A.), 109

McGrogan, M. (see also Spector, D. J.), 395
McIntire, S. (see also Willetts, N. S.), 525
McLeester, C. (see also Furth, M. E.), 195

Map, restriction endonuclease, of the chloroplast DNA of *Chlamydomonas reinhardii*, 597
Mapping, heteroduplex, of cloned and uncloned rDNA from *Drosophila melanogaster*, 769
—, restriction endonuclease, and identification of the threonine operon regulatory region, 241
Masurekar, M. (see also Hattman, S.), 367
Mattson, T., Van Houwe, G. & Epstein, R. H., Isolation and characterization of conditional lethal mutations in the *mot* gene of bacteriophage T4, 551
M·*Eco* P1 and M·*Eco* dam: sequence specificity, 367
Membrane-bound and secreted forms of penicillinase from *Bacillus licheniformis*, 673
Meromyosin, heavy, and the changes it produces in the conformation of F-actin; polarized fluorescence from ε-ADP incorporated into F-actin in a myosin-free single fiber, 507
Messenger RNA, a *Salmonella* frameshift suppressor that acts at runs of A residues, 37
— — half-life, correlation with the rate of poly(A) shortening in adenovirus transformed cells, 23
Methemerythrin, crystallographic studies of azide, thiocyanate and perchlorate complexes, 457
Methionyl-transfer RNA synthetase from *Escherichia coli*, antico-operative binding of initiator transfer RNA^{Met}; neutron scattering studies, 293
Methylation *in vitro* of bacteriophage λ DNA by wild type (*dam*$^+$) and mutant (*dam*^{h}) forms of the phage T2 DNA adenine methylase, 381
Metmyoglobin molecules from seal and sperm whale, a preliminary comparison, 661
Miller, J. H. (see also Calos, M. P.), 865
—. (see also Farabaugh, P. J.), 847
Möller, K., Zwieb, C. & Brimacombe, R., Identification of the oligonucleotide and oligopeptide involved in an RNA–protein crosslink induced by ultraviolet irradiation of *Escherichia coli* 30 S ribosomal subunits, 489
mot gene of bacteriophage T4, isolation and characterization of conditional lethal mutations, 551
Muscle fiber, single, myosin-free, polarized fluorescence from ε-ADP incorporated into F-actin: conformation of F-actin and changes induced in it by heavy meromyosin, 507
— tissue, embryonic, and cultured muscle cells contain a novel form of myosin light chain, 415
Mutant (*dam*^{h}) and wild type (*dam*$^+$) forms of the phage T2 DNA adenine methylase, *in vitro* methylation of bacteriophage λ DNA, 381
Mutations, conditional lethal, in the *mot* gene of bacteriophage T4, isolation and characterization, 551
Myoglobin, seal, X-ray crystallographic studies at 2·5 Å resolution, 637
Myosin, isolation and physico-chemical properties of a high molecular weight subfragment-2, 1
— light chain, identification of a novel form present in embryonic muscle tissue and cultured muscle cells, 415

Nakagawa, A. (see also Babul, J.), 117
Nathans, D. (see also Gutai, M. W.), 259, 275
Neurotoxin from scorpion, toxin II of *Androctonus australis* Hector, preliminary X-ray diffraction studies, 289
Neutron scattering studies of antico-operative binding of initiator transfer RNA^{Met} to methionyl-transfer RNA synthetase from *Escherichia coli*, 293
Nierhaus, K. H. (see also Teraoka, H.), 185
Noll, F. (see also Kiselev, N. A.), 109
Nomura, M. (see also Strycharz, W. A.), 123

O protein structure for λ-φ80 and λ-82 hybrid phages and for a λ mutant defective in the origin of replication; specificity determinants for bacteriophage lambda DNA replication, 227
Oligonucleotide and oligopeptide involved in an RNA–protein crosslink induced by ultraviolet irradiation of *Escherichia coli* 30 S ribosomal subunits, 489
Onorato, L. (see also Kistler, J.), 571
Oosawa, F. (see also Yanagida, T.), 507
Operon, histidine, amplification; tandem genetic duplications in *Salmonella typhimurium*, 53
—, threonine, identification and restriction endonuclease mapping of the regulatory region, 241
ori sequence for SV40, 259

P1 modification methylase (M·*Eco* P1) sequence specificity, and the sequence specificity of the DNA methylase (M·*Eco* dam) controlled by the *Escherichia coli dam* gene, 367
P2 (see also Bacteriophage), 447
P4 (see also Bacteriophage), 447
— satellite virus interferes at the level of capsid size determination, 433
P22 (see also Bacteriophage), 721
Packaging of DNA into the heads of bacteriophage lambda, 333
Packing of molecules in crystals of modified fibrinogen, 159

Pearse, B. M. F., On the structural and functional components of coated vesicles, 803
Penicillinase, membrane-bound and secreted forms, from *Bacillus licheniformis*, 673
Peptide models for the study of coupled conformational properties of protein secondary structures, 591
Perchlorate, azide and thiocyanate complexes of methemerythrin, crystallographic studies, 457
Phages, *λtra* transducing, from EDFL223 (*Flac traB*::ED*λ*4), isolation and characterization, 525
*ϕ*80 (see also Bacteriophage), 227
Polarized fluorescence from ϵ-ADP incorporated into F-actin in a myosin-free single fiber: conformation of F-actin and changes induced in it by heavy meromyosin, 507
Poly(A), correlation between shortening rate and the half-life of mRNA in adenovirus transformed cells, 23
Polyheads of bacteriophage T4, structural changes during their transformation: characterization of the initial and final states by freeze-drying and shadowing Fab-fragment-labelled preparations, 571
Polymorphism, population, extensive, does not accompany length heterogeneity in a region of the human ribosomal gene spacer, 91
Polyuridylic acid secondary structure: non-classical hydrogen bonding and the function of the ribose 2′-hydroxyl group, 467
Population polymorphism, extensive, does not accompany length heterogeneity in a region of the human ribosomal gene spacer, 91
Proline peptide isomerization, an examination of its involvement in protein folding, 117
Promoter competition, effect of the SP01 DNA-binding protein, TF1, 481
Proteases, dehydrogenases and zinc-containing enzymes, similarities in their active center geometries, 141
Protein folding and the involvement of proline peptide isomerization, 117
— secondary structures, peptide models for the study of coupled conformational properties, 591
—, structure of phage P22 coat protein aggregates formed in the absence of the scaffolding protein, 721
— TF1, SP01 DNA-binding, effect on promoter competition, 481
—–RNA crosslink induced by ultraviolet irradiation of *Escherichia coli* 30 S ribosomal subunits, identification of the oligonucleotide and oligopeptide involved, 489
Proteins from *Escherichia coli* ribosomes involved in the binding of erythromycin, 185
— L7/L12, ribosomal, localized at a single region of the large subunit by immune electron microscopy, 123
—, O, structure for *λ*-*ϕ*80 and *λ*-82 hybrid phages and of a *λ* mutant defective in the origin of replication, 227
—, tree structural organization, 315

Raskas, H. J. (see also Spector, D. J.), 395
Recombinant joint sequences of substituted variants; evolutionary variants of SV40, 275
Reddy, V. B. (see also Ghosh, P. K.), 813
Regulation of the appearance of cytoplasmic RNAs from region 1 of the adenovirus 2 genome, 395
Regulatory region of threonine operon, identification and restriction endonuclease mapping, 241
Replication of DNA, specificity determinants for bacteriophage lambda: a chain of interactions that controls the initiation of replication, 195
— — —, specificity determinants for bacteriophage lambda: structure of O proteins of *λ*-*ϕ*80 and *λ*-82 hybrid phages and of a *λ* mutant defective in the origin of replication, 227
Repression, translational, autogenous, of bacteriophage T4 gene *32* expression *in vitro*, 73
Restriction endonuclease map of the chloroplast DNA of *Chlamydomonas reinhardii*, 597
— endonuclease mapping and identification of the threonine operon regulatory region, 241
Reznikoff, W. S. (see also Gardner, J. F.), 241
Rhombohedral insulin crystal transformation, 871
RNA: antico-operative binding of initiator transfer RNA^{Met} to methionyl-transfer RNA synthetase from *Escherichia coli*: neutron scattering studies, 293
— incorporation, quantized, during assembly of tobacco mosaic virus from protein disks, 877
RNA, messenger, a *Salmonella* frameshift suppressor that acts at runs of A residues, 37
—, —, half-life, correlation with the rate of poly(A) shortening in adenovirus transformed cells, 23
—–protein crosslink induced by ultraviolet irradiation of *Escherichia coli* 30 S ribosomal subunits, identification of the oligonucleotide and oligopeptide involved, 489
RNAs, cytoplasmic, regulation of their appearance from region 1 of the adenovirus 2 genome, 395
—, late, of simian virus 40, heterogeneity and 5′-terminal structures, 813
Ribose 2′-hydroxyl group, function of, and non-classical hydrogen bonding; secondary structure in polyuridylic acid, 467

Ribosomal DNA in *Drosophila melanogaster*. II. Heteroduplex mapping of cloned and uncloned rDNA, 769
- . I. Isolation and characterization of cloned fragments, 749
— gene spacer, human, length heterogeneity in a region is not accompanied by extensive population polymorphism, 91
— proteins of *Escherichia coli* involved in the binding of erythromycin, 185
— — L7/L12 localized at a single region of the large subunit by immune electron microscopy, 123
30 S subunits of *Escherichia coli*, identification of the oligonucleotide and oligopeptide involved in an RNA–protein crosslink induced by ultraviolet irradiation, 489
Ribosomes, liver, structure of small subparticles, 109
Rochaix, J. D., Restriction endonuclease map of the chloroplast DNA of *Chlamydomonas reinhardii*, 597
Rossmann, M. G. (see also Argos, P.), 141
Roth, J. R. (see also Anderson, R. P.), 53
—. (see also Kohno, T.), 37

Salemme, F. R., Peptide models for the study of coupled conformational properties of protein secondary structures, 591
Salmonella frameshift suppressor that acts at runs of A residues in the messenger RNA, 37
— *typhimurium*, tandem genetic duplications: amplification of the histidine operon, 53
Sampieri, F., Habersetzer-Rochat, C., Astier, J.-P., Frey, M. & Haser, R., Preliminary X-ray diffraction studies on a scorpion neurotoxin: toxin II of *Androctonus australis* Hector, 289
Sarvas, M. (see also Simons, K.), 673
Satellite phage P4 interference at the level of capsid size determination, 433
Sawicki, S. G. (see also Wilson, M. C.), 23
Scaffolding protein, structure of phage P22 coat protein aggregates formed in its absence, 721
Schmeissner, U. (see also Farabaugh, P. J.), 847
Scorpion neurotoxin, toxin II of *Androctonus australis* Hector, preliminary X-ray diffraction studies, 289
Scouloudi, H., A preliminary comparison of metmyoglobin molecules from seal and sperm whale, 661
—. & Baker, E. N., X-ray crystallographic studies of seal myoglobin. The molecule at 2·5 Å resolution, 637
Seal and sperm whale metmyoglobin molecules, a preliminary comparison, 661
— myoglobin, X-ray crystallographic studies at 2·5 Å resolution, 637
Secondary structures of proteins, peptide models for the study of coupled conformational properties, 591
Sequence changes in DNA resulting from intragenic duplication; genetic studies of the *lac* repressor, 865
— γδ of F is an insertion sequence, 347
— of nucleotides of a conserved SV40 DNA segment containing the origin of viral DNA replication as an inverted repetition; evolutionary variants of simian virus 40, 259
— repeats in the *lacI* gene of *Escherichia coli*, 858
— specificity of the P1 modification methylase (M·*Eco* P1) and the DNA methylase (M·*Eco* dam.) controlled by the *Escherichia coli dam* gene, 367
Sequences of cellular DNA and sequences at recombinant joints of substituted variants; evolutionary variants of SV40, 275
Shadowing and freeze-drying of Fab-fragment-labelled preparations used in study of structural changes during the transformation of bacteriophage T4 polyheads, 571
Shortening rate of poly(A), correlation with the half-life of mRNA in adenovirus transformed cells, 23
Showe, M. K. (see also Kistler, J.), 571
Sieker, L. C. (see also Stenkamp, R. E.), 457
Simian virus 40 (see also Virus), 259, 275, 691, 813
Simons, K., Sarvas, M., Garoff, H. & Helenius, A., Membrane-bound and secreted forms of penicillinase from *Bacillus licheniformis*, 673
Spacer for human ribosomal gene, length heterogeneity in a region is not accompanied by extensive population polymorphism, 91
Specificity determinants for bacteriophage lambda DNA replication: a chain of interactions that controls the initiation of replication, 195
- — — — —: structure of O proteins of λ-φ80 and λ-82 hybrid phages and of a λ mutant defective in the origin of replication, 227

Specificity, sequence, of the P1 modification methylase (M·*Eco* P1) and the DNA methylase (M·*Eco* dam) controlled by the *Escherichia coli dam* gene, 367
Spector, D. J., McGrogan, M. & Raskas, H. J., Regulation of the appearance of cytoplasmic RNAs from region 1 of the adenovirus 2 genome, 395
Sperm whale and seal metmyoglobin molecules, a preliminary comparison, 661
SP01 DNA-binding protein, TF1, effect on promoter competition, 481
Stellwagen, E. (see also Babul, J.), 117
Stel'mashchuk, V. Ya. (see also Kiselev, N. A.), 109
Stenkamp, R. E., Sieker, L. C. & Jensen, L. H., Crystallographic studies of azide, thiocyanate and perchlorate complexes of methemerythrin, 457
Stout, C. D., Preliminary crystallographic data for *Azotobacter* cytochrome c_5, 105
Structural and functional components of coated vesicles, 803
— changes during the transformation of bacteriophage T4 polyheads: characterization of the initial and final states by freeze-drying and shadowing Fab-fragment-labelled preparations, 571
— organization of proteins, 315
Structure of O proteins of λ-φ80 and λ-82 hybrid phages and of a λ mutant defective in the origin of replication; specificity determinants for bacteriophage lambda DNA replication, 227
— — the components of the adenovirus-simian virus 40 hybrid population Ad2^{+}$^{+}$HEY and reciprocal molecular interactions, 691
— — phage P22 coat protein aggregates formed in the absence of the scaffolding protein, 721
—, secondary, in polyuridylic acid: non-classical hydrogen bonding and the function of the ribose 2′-hydroxyl group, 467
—, secondary, of proteins, peptide models for the study of coupled conformational properties, 591
— — small subparticles of liver ribosomes, 109
Structures, 5′-terminal, and heterogeneity of the late RNAs of simian virus 40, 813
Strycharz, W. A., Nomura, M. & Lake, J. A., Ribosomal proteins L7/L12 localized at a single region of the large subunit by immune electron microscopy, 123
Subfragment-2, high molecular weight, of myosin, isolation and physico-chemical properties, 1
Subparticles, small, of liver ribosomes: structure, 109
Suoth, Keiko (see also Sutoh, Kazuo), 1
Suppressor of frameshift mutations, *Salmonella*, that acts at runs of A residues in the mRNA, 37
Sutoh, Kazuo, Sutoh, Keiko, Karr, T. & Harrington, W. F., Isolation and physico-chemical properties of a high molecular weight subfragment-2 of myosin, 1
Swinscoe, J. (see also Ghosh, P. K.), 813
Syvanen, M. & Yin, J., Studies of DNA packaging into the heads of bacteriophage lambda, 333

T2 (see also Bacteriophage), 381
T4 (see also Bacteriophage), 73, 551, 571
Tandem genetic duplications in *Salmonella typhimurium*: amplification of the histidine operon, 53
ten Heggeler, B. (see also Kistler, J.), 571
Teraoka, H. & Nierhaus, K. H., Proteins from *Escherichia coli* ribosomes involved in the binding of erythromycin, 185
TF1, SP01 DNA-binding protein, effect on promoter competition, 481
Thiocyanate, azide and perchlorate complexes of methemerythrin, crystallographic studies, 457
Threonine operon regulatory region, identification and restriction endonuclease mapping, 241
Tinelli, L. (see also Diana, C.), 433
Tobacco mosaic virus (see also Virus), 877
Toxin II of *Androctonus australis* Hector, preliminary X-ray diffraction studies, 289
Transcription of the HeLa cell histone genes, 619
Transcriptional control of capsid size in the P2:P4 bacteriophage system, 447
Transducing phages, λ*tra*, from EDFL223 (*Flac traB*::EDλ4), isolation and characterization, 525
Transfer RNA^{Met}, initiator, antico-operative binding to methionyl-transfer RNA synthetase from *Escherichia coli*: neutron scattering studies, 293
Transformation of bacteriophage T4 polyheads, and structural changes: characterization of the initial and final states by freeze-drying and shadowing Fab-fragment-labelled preparations, 571
Translational repression, autogenous, of bacteriophage T4 gene *32* expression *in vitro*, 73
Traub, P. (see also Hackett, P. B.), 619
Tree structural organization of proteins, 315

Ultraviolet irradiation of *Escherichia coli* 30 S ribosomal subunits induces RNA–protein cross-linking, identification of the oligonucleotide and oligopeptide involved, 489

Van Houwe, G. (see also Mattson, T.), 551
Van Roy, F. & Fiers, W., Structure of the components of the adenovirus-simian virus 40 hybrid population Ad2^{+}$^{+}$HEY and reciprocal molecular interactions, 691
Vandekerckhove, J. & Weber, K., At least six different actins are expressed in a higher mammal: an analysis based on the amino acid sequence of the amino-terminal tryptic peptide, 783
Variants, evolutionary, of simian virus 40: cellular DNA sequences and sequences at recombinant joints of substituted variants, 275
—, —, — — — —: nucleotide sequence of a conserved SV40 DNA segment containing the origin of viral DNA replication as an inverted repetition, 259
Vesicles, coated, structural and functional components, 803
Viral interference at the level of capsid size determination by satellite phage P4, 433
—, SV40-adenovirus hybrid population Ad2^{+}$^{+}$HEY, structure of the components, and reciprocal molecular interactions, 691
—, —, evolutionary variants: cellular DNA sequences and sequences at recombinant joints of substituted variants, 275
—, —, — —: nucleotide sequence of a conserved SV40 DNA segment containing the origin of viral DNA replication as an inverted repetition, 259
— —, heterogeneity and 5′-terminal structures of the late RNAs, 813
Virus, tobacco mosaic, quantized incorporation of RNA during assembly from protein disks, 877

Warren, S. G. (see also Weisel, J. W.), 159
Weber, K. (see also Vandekerckhove, J.), 783
Weisel, J. W., Warren, S. G. & Cohen, C., Crystals of modified fibrinogen: size, shape and packing of molecules, 159
Weissman, S. M. (see also Ghosh, P. K.), 813
Wellauer, P. K. & Dawid, I. B., Ribosomal DNA in *Drosophila melanogaster*. II. Heteroduplex mapping of cloned and uncloned rDNA, 769
—. (see also Dawid, I. B.), 749
Whale, sperm, and seal metmyoglobin molecules, a preliminary comparison, 661
Whalen, R. G., Butler-Browne, G. S. & Gros, F., Identification of a novel form of myosin light chain present in embryonic muscle tissue and cultured muscle cells, 415
White, P. A. (see also Wilson, M. C.), 23
Wild type (*dam*$^{+}$) and mutant (*dam*^{h}) forms of the phage T2 DNA adenine methylase, *in vitro* methylation of bacteriophage λ DNA, 381
Willetts, N. S. & McIntire, S., Isolation and characterization of *tra* transducing phages from EDFL223 (F*lac traB*::EDλ4), 525
Wilson, M. C., Sawicki, S. G., White, P. A. & Darnell, J. E., Jr, A correlation between the rate of poly(A) shortening and half-life of messenger RNA in adenovirus transformed cells, 23

X-ray crystallographic studies of seal myoglobin: the molecule at 2·5 Å resolution, 637
— diffraction studies on a scorpion neurotoxin: toxin II of *Androctonus australis* Hector, 289
Yanagida, T. & Oosawa, F., Polarized fluorescence from ϵ-ADP incorporated into F-actin in a myosin-free single fiber: conformation of F-actin and changes induced in it by heavy meromyosin, 507

Yarus, M. (see also Lemaire, G.), 73
Yates, J. L. (see also Furth, M. E.), 227
Yin, J. (see also Syvanen, M.), 333
Young, P. R. & Kallenbach, N. R., Secondary structure in polyuridylic acid. Non-classical hydrogen bonding and the function of the ribose 2′-hydroxyl group, 467

Zaccai, G. (see also Dessen, P.), 293
Zinc-containing enzymes, proteases and dehydrogenases, similarities in their active center geometries, 141
Zwieb, C. (see also Möller, K.), 489